



HERBICIDE EVALUATION IN ARKANSAS COTTON, 1999

Marilyn McClelland

Research Associate

Crop, Soil, and Environmental Sciences Department

Jim Barrentine

Professor and Head

Crop, Soil, and Environmental Sciences Department

Ken Smith

Extension Weed Scientist

Southeast Research and Extension Center

Nilda Burgos

Assistant Professor

Crop, Soil, and Environmental Sciences Department

Arkansas Agricultural Experiment Station
Fayetteville, Arkansas 72701

ACKNOWLEDGMENTS

The following companies provided financial support and chemicals used in the studies: AgrEvo, American Cyanamid, BASF, Dow AgroSciences, DuPont, FMC, Griffin, Helena (Setre), Monsanto, Novartis, Rhone-Poulenc, Riverside Terra, Rohm & Haas, Uniroyal, Valent, and Zeneca.

The assistance of the following individuals is gratefully acknowledged: Mike Dillon, Research Technician, Lonoke; Troy Dillon, Research Technician, Lonoke; Larry Earnest, Superintendent, Southeast Branch Station, Rohwer; Vaughn Skinner, Farm Manager, Main Experiment Station, Fayetteville; Michelle Mobley, Graduate Assistant, Main Experiment Station, Fayetteville; Scott Payne, Graduate Assistant, Main Experiment Station, Fayetteville; Lance Schmidt, Research Specialist, Main Experiment Station, Fayetteville; Doug Walsh, Graduate Assistant, Main Experiment Station, Fayetteville; Eric Scherder, Graduate Assistant, Main Experiment Station, Fayetteville; Ford Baldwin, Extension Weed Specialist, Cooperative Extension Service, Little Rock; Aaron Taylor, Research Specialist, Southeast Branch Station, Rohwer; Jeff Branson, Research Specialist, Southeast Branch Station, Rohwer; Bob Turner, Director, Cotton Branch Experiment Station, Marianna; James Hornbeck, Research Specialist, Cotton Branch Experiment Station, Marianna; and Marci Milus and Lynn McCoy, secretarial staff.

CONTENTS

Introduction	1
Methods	1
Abbreviations of Terms	2
Tables	
Preplant burndown herbicides, Fayetteville	3
Preplant burndown herbicides 1, Rohwer	6
Preplant burndown herbicides 2, Rohwer	9
Benefits of pyriithiobac (Staple) in Roundup Ready® cotton, Fayetteville	13
Benefits of pyriithiobac (Staple) in Roundup Ready® cotton, Marianna	18
Herbicide systems with pyriithiobac (Staple) and glyphosate (Roundup Ultra), Rohwer	22
Pyriithiobac (Staple)/bromoxynil (Buctril) combinations, Fayetteville	27
Pyriithiobac (Staple)/bromoxynil (Buctril) combinations, Little Rock	31
Pyriithiobac (Staple) and bromoxynil (Buctril) sequential applications, Rohwer	34
Herbicide systems for BXN cotton, Rohwer	39
CGA-362622 cotton selectivity and efficacy, Fayetteville	46
CGA 362622 cotton selectivity and efficacy, Marianna	50
CGA 362622 cotton selectivity and efficacy, Rohwer	53
Residual herbicides on Roundup Ready® cotton, Rohwer	56
Metolachlor (Dual) and prometryn (Caparol) in Roundup Ready® cotton, Rohwer	59
Pendimethalin (Prowl) in Roundup Ready® cotton, Fayetteville	62
Roundup Ready® cotton treated at different growth stages, Marianna	67
Fomesafen (Reflex) preemergence in cotton, Rohwer	69
Fomesafen (Reflex) preemergence in cotton, Fayetteville	74
Soil-applied and postemergence herbicides in Roundup Ready® cotton, Rohwer	78
Evaluation of postemergence herbicides, Rohwer	81
Flumioxazin (Valor) post-directed at layby in cotton, Fayetteville	84
Flumioxazin (Valor) post-directed at layby in cotton, Marianna	87
Clomazone (Command) applied postemergence, Rohwer	90
Over-the-top grass herbicides, Rohwer	93
Herbicide drift rates on cotton, Rohwer	95
Economics of cotton systems, Rohwer	97
Tillage programs for Roundup Ready cotton, Rohwer	100
Multispecies evaluation of glyphosate formulations, Fayetteville	103
Transgenic cotton in ultra-narrow row, Fayetteville	109
Transgenic cotton in ultra-narrow row, Little Rock	116
Appendix Tables	
Common and trade names, formulation (pounds of active ingredient or acid equivalent per gallon), sponsoring companies, and chemical names of herbicides	123
Trade names and common names	125
Common, coded, and scientific names of plant species	126
Climatological data, Main Experiment Station, Fayetteville, 1999	127
Climatological data, Cotton Branch Experiment Station, Marianna, 1999	128
Climatological data, Southeast Branch Experiment Station, Rohwer, 1999	129